

銅管 (C1220T-1/2H, H)



定尺:長さ5000mm

△ 切断不可(一部切断品取扱有)

径	厚み	径	厚み	径	厚み	径	厚み	
3	0.5	10	2.5	16	1.2	22	2.3	
	0.8		3		1.5		2.5	
3.2	0.6		3.5		1.6		3	3
	4	11	1		2		2.5	4
2			11.4		2.5		5	
4.76	1.8	3			6			
	0.8	4			22.22	1.6		
1	0.8	1		1.2				
5	0.5	1	1.2	22.23	1.3			
	0.8	1.2	1.5		1.4			
	1	1.4	1.6		1.5			
6	0.6	12	1.5		1.6	1.8		
	0.8		1.6		2			
	1		1.8		3.5			
	1.2		2		4			
	1.4		2.5		5			
	1.5		3	19	2.3			
	2		0.8		0.8			
	6.35		0.8	12.7	1	19.05	1	
1		1.2	1.2					
1.2		1.4	1.3					
1.5		1.5	1.5					
2		1.6	1.6					
7	1	2	1.5		20		1.6	
	1.2	2.5	1.6				2	
	1.5	3	2.5					
8	0.8	13	1	2.6			25	2.5
	1		1	3				3
	1.2	14	1.2	4		4		
	1.4		1.5	1		5		
	1.5		1.8	1.2		0.8		
	1.6		2	1.4		0.95		
	2		2.3	1.5		1		
2.5	3		1.6	1.1				
9	1	15	1	1.8	1.2			
	1.5		1.2	2	1.4			
	1.6		1.4	2.3	1.5			
	2		1.5	2.5	1.55			
9.53	0.8		1.6	1.6	3	1.6		
	1		1.8	2	4	2		
	1.2		2	2.3	5	2.5		
	1.5		2.5	3	6	3		
	2		3.5	3	22	1.2		
10	1		0.8	1.2		1.5		
	1.2	1	1.5	1.6				
	1.4	15.88	1.2	2				
	1.5		1.2	25.4	2.8			
	1.6		1.5		27.2	1		
	1.8		1.6			28	1.2	
	2		2		1			
			16		1			



林金属株式会社

ALCONIX GROUP

銅管 (C1220T-1/2H, H)



定尺:長さ5000mm

△ 切断不可(一部切断品取扱有)

径	厚み	径	厚み	径	厚み	径	厚み	
28	1.6	38	4	50	3.5	75	2.3	
	2		1		4		2.5	
	2.5		1.2		5		3	
	3		1.4	50.8	1.2		3.5	
	4		1.5		1.8		5	
28.58	1.2		1.6		2	1.6		
	1.5		1.8		2.5	2		
	1.6		2	3.2	2.3			
	2		2.3	4	2.5			
	2.5		3	53	4.5	3		
	2.6	5	53.98		1.6	5		
	3	6		55	2	6		
	30	1.2	40		1.5	76.2	1.6	
1.55		1.8			2		2	
1.6		2			2.5		2.3	
1.8		2.3			3		2.5	
2		2.5			4.5		3	
2.3		3		5	5			
2.5		4		56	5	79.38	1.83	
2.6		5			58		5	80
3		41.28	2	2.3		3.5		
4			3	2.5	4			
5		41.3	1.2	3	5			
6			1.6	4	85	2.5		
31.75		0.8	42	2		3.5	3	
	1	42.7	3.5	5		5		
	1.2	44.4	1.45	60	1.6			
	1.4	44.45	1.5		2	2		
	1.5		1.6		2.5	2.5		
	1.6		2	3	3			
	1.8	3	60.5	3.2	88.9	1.6		
	2	44.5		5		2	2.5	
	3	45	1.2	65		2.5	3	
	2		1.5		3.2	5	95	2.3
2.5	1.55		4		3	3		
5	1.6		66.68	1.65	100	2		
6	1.8			3		2.5	2.5	
32	2		2	67		3	3	
	2.5		45			2	4	4
	5			2.3		70	2	5
6	3	2.3	6					
32.5	4	3.2	2.5	101.6	2			
	34	2	4		3		3	
		3	4		4.5	4		
3.2	48	5	73		5	104.78	3	
34.92		1.2		8	3		3	
35	1.5	48.6	5	70	5	108	3	
	2		3		3		3	
	2.3	50	3.2	70	2	101.6	2	
	3		3.5		2.3		3	3
	3.5		2.3		2.5		4	4
	4		2.5		3		3	3
5	3	3	3	3				
36	2	3	3	3	3			



銅管 (C1220T-1/2H, H)



定尺:長さ5000mm

△ 切断不可(一部切断品取扱有)

径	厚み
110	3
	5
114.3	3
	3.2
	4
	4.5
120	3
	4.5
	5
125	3
127	3
130	3
	3.5
	4
	5
135	3
	5
140	4.5
	5
	7
150	4
152.4	5
160	4
	5
164	7
165	5
180	4
200	5
205	2.6
240	5
270	5
280	4



銅管 (C1020T-1/2H, H)



定尺:長さ5000mm

△ 切断不可(一部切断品取扱有)

径	厚み
4	0.8
6	1
6.35	1
8	1
9	1.5
	1.6
9.53	1
10	1
11	1.5
12	1
13	1.5
	1.8
13.3	1.9
15	2
15.5	2
16	2
	3.6
17.5	2
18	2.3
20	4.8
21.5	2.3
22	2.8
	6
22.23	1
23	3
24	3.5
26	3
26.5	3.5
27	6
28	1
28.5	3.5
29	3.5
	6
30	2.3
32	3.5
	4
	4.5
33	4
36	4
37	4.5
38	8
38.1	2.5
	6
40	3.2
	4
	6
	10
42.7	3.5
	13.2
45	4.5

径	厚み
45	6
47	4.5
50	4
	5
	10
	12
55	4
	4.5
	10
60	6
	10
70	6
	7
76	15



銅管(C1220T-O)



定尺:長さ5000mm

× 切断不可

径	厚み	長さ
3	0.5	10M
3.18	0.5	10M
4	0.5	5M
	0.8	5M
	1	100M
4.8	0.8	10M
		20M
5	0.8	10M
	1	5M
6	0.8	10M
		5M
		30M
		50M
	1	5M
		10M
		20M
		30M
		50M
		100M
		200M
		300M
	1.2	30M
	1.5	30M
6.35	0.8	5M
		20M
	1	5M
		20M
8	0.8	5M
		10M
		5M
	1	10M
		20M
		30M
		50M
		200M
		5M
	1.2	20M
		30M
1.5	30M	
2	5.01M	
	30M	
9	2	5M
9.53	0.8	5M
		20M
	0.89	5M
	1	5M
		20M
1.2	5M	

径	厚み	長さ
9.53	1.2	30M
10	0.8	5M
		10M
		5M
	1	10M
		20M
		30M
		50M
		100M
		25M
		30M
	1.2	30M
		30M
		50M
1.4	30M	
	50M	
1.5	5M	
	30M	
1.6	30M	
	5M	
2	30M	
	5M	
12	1	5M
		10M
		20M
		30M
	0.8	5M
		10M
		50M
	1.2	5M
		30M
		5M
1.4	30M	
	30M	
	30M	
	30M	
12.7	0.8	5M
		10M
		20M
	1	5M
		10M
		20M
		5M
	1.2	5M
		30M
		5M
		30M
1.5	5M	
	30M	
	5M	
	30M	
	5M	
	30M	
14	1	30M
	1.2	5M
	1.5	5M
	1.5	30M
	1.6	30M
	2	5M
15	1	30M
		5M
	1.2	20M
		25M
1.4	30M	
	30M	

径	厚み	長さ
15	1.5	5M
		50M
	1.8	5M
	0.8	5M
10M		
5M		
10M		
1	5M	
	20M	
	1.2	30M
	1.5	5M
	1.6	5M
	30M	
16	1.6	30M
18	1.5	5M
19.05	1	5M
		10M
		20M
	1.1	5M
	1.2	30M
	1.5	5M
30M		
20	1.5	5M
		20M
	1.6	5M
	22.23	1.2
1.5		5M
1.6		5M
25	1.5	5M
	2	5M
25.4	1	5M
	1.2	5M
	1.6	5M
34.5	2	5M
39	2	5M

